

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((100/266) or (100/267) or (100/268)).CCLS.) and ((capacitor near10 stack) or (green near10 sheet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L2	0	((100/266) or (100/267) or (100/268)).CCLS.) and (capacitor near10 stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L3	0	((100/266) or (100/267) or (100/268)).CCLS.) and (capacitor and stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L4	0	((100/266) or (100/267) or (100/268)).CCLS.) and (ceramic and stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L5	1890	((100/266) or (100/267) or (100/268) or (100/265)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L6	0	((100/266) or (100/267) or (100/268) or (100/265)).CCLS.) and ((capacitor near10 stack) or (green near10 sheet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L7	0	magazine and (stack) and press and spring and (vision near4 alignment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L8	2	capacitor and (stack) and "29"/\$.ccls. and (photosensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:36
L9	108	capacitor and (stack) and sensor and "156"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:36

EAST Search History

L10	13	((("4,553.304") or ("4,683,516") or ("5,522,851") or ("5,628,801") or ("5,640,756") or ("5,814,082") or ("5,908,151") or ("5,983,472") or ("6,006,133") or ("6,030,480") or ("6,110,321") or ("6,402,793") or ("6,413,283") or ("6,509,588"))).PN.	USPAT; USOCR	OR	OFF	2006/03/01 11:10
L11	54	capacitor and (stack) and "228"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L12	16	capacitor and (stack) and "100"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L13	2	((((100/266) or (100/267) or (100/268)).CCLS.) and (chip and stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L14	3	((((100/266) or (100/267) or (100/268) or (100/265)).CCLS.) and (chip and stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L15	18	((("4,553,304") or ("4,683,516") or ("5,522,851") or ("5,628,801") or ("5,640,756") or ("5,814,082") or ("5,908,151") or ("5,983,472") or ("6,006,133") or ("6,030,480") or ("6,110,321") or ("6,402,793") or ("6,413,283") or ("6,509,588") or ("6141205") or ("6522525") or ("20010020319") or ("20040127952"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 11:10
L16	66	(fixture near20 spring) and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L17	109	medtronic.asn. and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10

EAST Search History

L18	4	magazine and (stack) and press and spring and (vision near4 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L19	14	magazine and (stack) and press and spring and (alignment near4 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L20	58	capacitor and (stack) and (cold near5 weld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L21	9	("2640605" "4657465" "4765791" "5228373" "5437534" "5868546" "6015257" "6102651").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 11:10
L22	37	"414"/\$.ccls. and stack and spring and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L23	12	"414"/\$.ccls. and stack and fixture and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L24	63	magazine and (stack near5 robot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L25	14	capacitor and (stack) and (placement near5 robot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L26	88	(electrode near3 layer) and (stack) and (placement near5 robot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L27	2	("6233135").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10

EAST Search History

L28	65	capacitor and (stack) and (photoelectric near3 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:15
L29	120	(156/564).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L30	147	(156/565).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L31	2362	(29/25.03).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L32	131	L31 and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L33	122	(414/790.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L34	233	(156/379).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L35	209	(156/563).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10

EAST Search History

L36	287	(156/559).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L37	71	pacemakers.asn. and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L38	357	capacitor and (stack) and "156"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L39	354	(156/362).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L40	360	(100/45).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L41	492	capacitor and (stack) and "29"/\$.ccls. and (layer or layers) and (press or pressure or pressing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L42	427	(156/358).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L43	430	(156/363).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10

EAST Search History

L44	473	(156/364).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L45	437	magazine and (stack) and "156"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L46	419	(414/789.9).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L47	362	(414/790).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L48	385	capacitor and (stack) and (photosensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L49	802	(156/378).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L50	769	capacitor and (stack) and "29"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L51	1203	((100/266) or (100/267) or (100/268)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L52	1980	magazine and (stack) and press and spring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10

EAST Search History

L53	2362	(29/25.03).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
L54	1270	fixture and clamp and spring and (stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L55	0	fixture near20 clamp near20 spring near20 (stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L56	437	fixture near20 clamp near20 spring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L57	18	(fixture near20 clamp near20 spring) and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L58	384	(stack near20 clamp near20 spring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:27
L59	14	(stack near20 clamp near20 spring) and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L60	6	("2535367" "2732498" "3202890"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 11:10
L61	8	("3701932").URPN.	USPAT	OR	ON	2006/03/01 11:10
L62	115	(stack near20 clamp near20 spring) and sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L63	24	(stack near20 clamp near20 spring) and (x near2 Y)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10

EAST Search History

L64	889	(stack) and (x near2 Y) and (arm or holder) and (capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L65	28	((stack) near20 (capacitor)) and (x near2 Y) and (arm or holder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L66	158	(stack) and (robot near2 arm) and (capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:10
L67	10	((("20040114311") or ("20040147960") or ("20040147961") or ("20040174658") or ("20040193221") or ("20040215281") or ("20050010253") or ("20050017888") or ("20050052825") or ("6,833,987")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 11:10
L68	545	capacitor and layer and (photoelectric near3 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:15
L69	157	capacitor with layer and (photoelectric near3 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:15
L70	26	(stack near20 clamp near20 spring) and (capacitor or electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:27

*Pg Pub/Patent claim search
for interference*
EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	fixture.clm. and capacitor.clm. and stack.clm. and compression.clm. and alignment.clm. and vision.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:36
L2	2	fixture.clm. and capacitor.clm. and stack.clm. and base.clm. and pad.clm. and placement.clm. and alignment.clm. and vision.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:36